



2410Z0 (Gen 2)

Medium Light

StealthLite™



Same features as the StealthLite™ 2400 but with the LED module that produces a true, bright collimated LED beam. The StealthLite™ 2410Z0 LED Zone 0 is corrosion proof, resistant to extreme temperatures, and submersible. It is powered by 4 AA alkaline cells and certified to ATEX Zone 0 (Category 1). For hands-free operation, attach it to your hard hat with our optional helmet light holder.

CONFIGURATIONS

2410Z0 - Standard

DIMENSIONS

Length: 7.00"

MATERIALS

Body: Anti-static Impact Modified PC/PBT


O-Ring: Ethylene Propylene

Lens: Anti-static PMMA


Shroud: Anti-static Impact Modified PC/PBT

Contact Spring Retainer: Stainless Steel / Phosphore Bronze

COLORS



Gray








Yellow

LIGHT SPECS

Lamp Type: LED

FL1 STANDARD

HIGH

	153 LUMENS
	5h 45mins
	165m
	6837cd
	IPX7

POWER

Battery Size: AA
Battery Type: Alkaline
Battery Quantity: 4
Volts: 6.0v

WEIGHT

Weight With Batteries: 7.3 oz
Weight Without Batteries: 3.7 oz
Packaged Weight: 8.4 oz

SWITCH

Switch Type: One-handed Safety Switch
Light Modes: On / Off

CERTIFICATIONS

ATEX Zone 0

OTHER

Minimum Pack: 6
Package Code: B

Pelican Products, Inc.

23215 Early Ave • Torrance, CA 90505 USA • Phone: (310) 326-4700 • (800) 473-5422 • Fax: (310) 326-3311
sales@pelican.com • www.pelican.com